

ISCCP HGM/HGH Basic Variable List

The following are the variables provided by ISCCP Basic Access

- **Cloud amount**
 - Mean Cloud amount
 - Frequency of occurrence of cloud amounts in 10% bins

- **Cloud parameters: pressure, temperature, water path, optical depth**
 - Mean cloud parameters
 - Std. Deviation of the cloud parameters in time and space

- **All of the above, but using the IR-based cloud mask**
 - Useful for diurnal studies since visible data is not used

- **Cloud information binned by IR cloud layer (low, medium, high)**
 - Cloud amount, pressure, temperature, water path, optical depth
 - *See below for types*

- **Cloud information binned by cloud type and phase (uses visible information):**
 - Cloud amount, pressure, temperature, water path, optical depth
 - *See below for types*

- **Surface information** - land fraction, land elevation, snow/ice information

- **Satellite codes** - specify which satellites were used in each cell

The following IR cloud types are defined in ISCCP:

- low (680 < PC ≤ 1025hPa)
- middle (440 < PC ≤ 680hPa)
- high (10 ≤ PC ≤ 440hPa)

The following cloud types are defined in ISCCP:

- cumulus_liquid (680 < PC ≤ 1025hPa, 0 ≤ TAU ≤ 3.55, TC ≥ 253K)
- stratocumulus_liquid (680 < PC ≤ 1025hPa, 3.55 < TAU ≤ 22.63, TC ≥ 253K)
- stratus_liquid (680 < PC ≤ 1025hPa, 22.63 < TAU ≤ 450, TC ≥ 253K)
- cumulus_ice (680 < PC ≤ 1025hPa, 0 ≤ TAU ≤ 3.55, TC < 253K)
- stratocumulus_ice (680 < PC ≤ 1025hPa, 3.55 < TAU ≤ 22.63, TC < 253K)
- stratus_ice (680 < PC ≤ 1025hPa, 22.63 < TAU ≤ 450, TC < 253K)
- altocumulus_liquid (440 < PC ≤ 680hPa, 0 ≤ TAU ≤ 3.55, TC ≥ 253K)
- altostratus_liquid (440 < PC ≤ 680hPa, 3.55 < TAU ≤ 22.63, TC ≥ 253K)
- nimbostratus_liquid (440 < PC ≤ 680hPa, 22.63 < TAU ≤ 450, TC ≥ 253K)
- altocumulus_ice (440 < PC ≤ 680hPa, 0 ≤ TAU ≤ 3.55, TC < 253K)
- altostratus_ice (440 < PC ≤ 680hPa, 3.55 < TAU ≤ 22.63, TC < 253K)
- nimbostratus_ice (440 < PC ≤ 680hPa, 22.63 < TAU ≤ 450, TC < 253K)
- cirrus_liquid (10 ≤ PC ≤ 440hPa, 0 ≤ TAU ≤ 3.55, TC ≥ 253K)
- cirrostratus_liquid (10 ≤ PC ≤ 440hPa, 3.55 < TAU ≤ 22.63, TC ≥ 253K)
- deep_convective_liquid (10 ≤ PC ≤ 440hPa, 22.63 < TAU ≤ 450, TC ≥ 253K)
- cirrus_ice (10 ≤ PC ≤ 440hPa, 0 ≤ TAU ≤ 3.55, TC < 253K)
- cirrostratus_ice (10 ≤ PC ≤ 440hPa, 3.55 < TAU ≤ 22.63, TC < 253K)
- deep_convective_ice (10 ≤ PC ≤ 440hPa, 22.63 < TAU ≤ 450, TC < 253K)

The following variables are in the Full ISCCP data that are available via NOAA CLASS.

- Geometric info - Solar and satellite angles
- Ancillary data -
 - temperature profile,
 - humidity profile,
 - inversion flag,
 - tropopause temp, pressure
 - Sfc. air temperature
 - Ancillary data fill code
 - Ozone
 - Surface pressure
- Parameters isolated by differing results of the cloud tests:
 - IR-only clouds - Pixels that are cloudy in the IR but not the VIS
 - VIS-only clouds - Pixels that are cloud in the VIS but not IR
 - VIS/IR-marginally cloudy - Pixels that are marginally cloudy in the VIS and IR
 - IR-marginally cloudy - Pixels that are marginally cloudy in the IR
 - VIS-marginally cloudy - Pixels that are marginally cloudy in the VIS
- Cloud flag statistics (used for diagnostics)
 - Ratios of cloud flags
 - Longterm cloud flag

- Surface retrieved variables
 - Mean surface temperature for clear pixels and from clear sky composite
 - Mean surface reflectance for clear pixels and from clear sky composite
- Satellite variables
 - Mean brightness temperature for various cloud tests conditions (IR-only, etc.)
 - Mean visible scaled radiance for various cloud test conditions (IR-only, etc.)

